



## **Feature Release Plan**

## **Appendix F**





This Appendix Provides a mapping of Use Cases with associated requirements to Functional Components, Software Components and to the NB DSS release that will enable the use case to be executed. The purpose of mapping the use cases to each of the three releases is to provide a "functional image" of the contents of each of the three releases. Appendix F supplements the Feature Release Plan presented in Chapter 7 of the Inception Report.

Functional component	Use case (id and name)	Requirements	Software Components Involved	NB DSS Release	Comment
СВА	086: Run CBA	2.1.5.11	СВА	3	
	081: Setup CBA	2.1.5.11	СВА	3	
Ensembles	046: Run ensemble sce- nario		Timeseries Man- ager	2	
			Scenario Manager		
			Ensemble Modeler		
	045: Setup ensemble scenario		As above	2	
	080: Use ensemble generator tool	2.1.6.6 (1) 2.1.6.6 (2)	DSS Tools	2	
GIS	023: Edit GIS data		GIS Manager	1	
	089: Export GIS data				
	021: Import GIS data	2.1.4.1 2.1.4.2 (1)	GIS Manager	1	
	007: Inspect GIS layers		GIS Manager Meta Data Man- ager	2	Meta data inspection will be available when meta data is implemented.
	077: Link timeseries to feature		GIS Manager	1	
	051: Use GIS catchment delineation tool	2.1.4.3 (3)	GIS Manager	2	
	026: Use GIS tool	2.1.4.2 (2) 2.1.4.3 (1) 2.1.4.3 (2) 2.1.4.4 2.1.4.4 (1a) 2.1.4.4 (1b) 2.1.4.4 (1c) 2.1.4.4 (2a) 2.1.4.4 (2b) 2.1.4.4 (2c) 2.1.4.4 (2d) 2.1.3.3(2a) 2.1.3.3(2e)	DSS Tools	1 and 2	Release 1 will include everything but raster op- erations which will be included in release 2 (Req. 2.1.4.4 2a – 2d)
	021: Visualize GIS data	2.1.4.3 (1) 2.1.4.3 (2)	GIS Manager	1	Raster operations in re- lease 2 (see above)





Functional component	Use case (id and name)	Requirements	Software Components Involved	NB DSS Release	Comment
Hydro objects	075: Create hydroobject			1-2	Suggests the following revised text:
					The number of HydroOb- jects will grow over the two first releases as new objects are added.
					The data- and object model will be finalised in R1. Subsequent definitions of hydro-objects (e.g. in R2) will not lead to extending and redesigning the data and object model.
	078: Edit hydroobject			1-2	As above
Indicators	038: Define indicator	2.1.5.12 2.1.8.2	Analysis Manager	3	
	039: Use indicator tool	2.1.5.12 2.1.8.3		3	
Linked Model	027: Create linked model	2.1.5.10	Scenario Manager	1	
			Model Linker		
MCA	040: Run MCA	2.1.5.12 2.1.8.1 2.1.8.2 2.1.8.3	MCA	3	
	081: Setup MCA	2.1.8.1 2.1.8.3	MCA	3	
Optimization scenarios	057: Create optimization scenario	2.1.6.4	Scenario Manager Optimizer	2	
	056: Define optimization scenario		Scenario Manager  Optimizer	2	
	058: Run optimization scenario		Scenario Manager  Optimizer	2	
Scenarios	032: Clone and modify MIKE BASIN model and scenario		Scenario Manager  Model Tools	1	
	044: Clone and modify model and scenario		Scenario Manager	1	As above





Functional	Use case (id and name)	Requirements	Software	NB DSS	Comment
component			Components Involved	Release	
	047: Compare scenarios	2.1.6.3	Scenario Manager	1-2	
					Some comparison func-
			Timeseries Man-		tionality will be available
			ager		in release 1 but will con-
					tinue to develop (im-
					proved usability) into release 2.
					Release 1 will enable
					"simple" comparisons
					such as comparison of
					time-series. More ad-
					vanced comparisons will
					be added in R2.
					See note 1.
	015: Create scenario	2.1.6.1	Scenario Manager	1	
	084: Modify DSS scenario		Scenario Manager	1	
	036: Register MIKE 11	2.1.6.1	Scenario Manager	1	
	model	0.1.0.1			
	025: Register MIKE BASIN model	2.1.6.1	Scenario Manager	1	
	014: Register model	2.1.6.1	Scenario Manager	1	
	046: Run ensemble sce-		Timeseries man-	2	
	nario		ager		
			Scenario Manager		
			Ensemble Modeler		
	016: Run scenario		Scenario Manager	1	
	045: Setup ensemble sce-		Timeseries man-	2	
	nario		ager		
			Scenario Manager		
			Ensemble Modeler		
Studies	019: Create study		Study Manager	2	Studies will be included in
					the detailed design for
					phase 1. The implementation targets R2.
	048: Export study		Study Manager	2	As above
	050: Import Study		Study Manager	2	As above
	020: Manage study		Study Manager	2	As above





Functional component	Use case (id and name)	Requirements	Software Components Involved	NB DSS Release	Comment
Tables	053: Assess data availabil-		Time Series Man-	2	The design of the Table
	ity		ager		Manager and implemen-
					tation of the data model
			GIS Manager		related to Tables will be
			Table Manager		done in C1. Implementation of functionality re-
			Table Manager		lated to Tables will target
			Meta Data Man-		NB DSS R2.
			ager		
	073: Import tables		Table Manager	2	As above
	004: Use table tool		DSS Tools	2	As above
	018: Visualise tables		Table Manager	2	As above
Timeseries	053: Assess data availabil-		Time Series Man-	1-2	Functionality related to
	ity		ager		timeseries and GIS will be
			GIS Manager		in release 1.
			Olo Manager		
			Table Manager		
			Meta Data Man-		
			ager		
	074: Create time series		Time Series Man-	1	
			ager		
	052: Edit timeseries		Time Series Man-	1	
			ager		
	088: Export timeseries				
	data				
	008: Filter timeseries		Time Series Man-	1	
	OOA . Irram and time an aming		ager	4	
	001: Import timeseries		Time series Man- ager	1	
	009: Inspect timeseries	2.1.3.3 (1a)	Time series	1	Functionality related to
	Too. mopoot timosonos	2.1.3.3 (1a) 2.1.3.3 (1b)	Meta data	'	meta data will be avail-
		()			able when meta data is
					implemented.
	079: Use demand calcula-		DSS Tools	2	
	tor tool 076: Use soil erosion tool		DSS Tools	2	
	010. 036 30H 6H03I0H 100H		DOO 10019		





Functional component	Use case (id and name)	Requirements	Software Components Involved	NB DSS Release	Comment
	002: Use timeseries tool	2.1.3.1		1	
		2.1.3.1 (1)			
		2.1.3.1 (1a)			
		2.1.3.1 (1b)			
		2.1.3.1 (1c)			
		2.1.3.1 (1d)			
		2.1.3.1 (1e)			
		2.1.3.1 (1f)			
		2.1.3.1 (1g)			
		2.1.3.1 (1h)			
		2.1.3.1 (1i)			
		2.1.3.1 (1j)			
		2.1.3.1 (2a)			
		2.1.3.1 (2b)			
		2.1.3.1 (2c)			
		2.1.3.1 (3)			
		2.1.3.1 (4)			
		2.1.3.1 (4a)			
		2.1.3.1 (4b)			
		2.1.3.2			
		2.1.3.2 (2)			
		2.1.3.2 (3)			
		2.1.3.2 (4)			
		2.1.3.2 (5)			
		2.1.3.3 (1b)			
		2.1.3.3 (1c)			
		2.1.3.3 (1e)			
		2.1.3.3 (2b.3)			
		2.1.3.3 (2c)			
		2.1.3.3 (2c.1)			
		2.1.3.3 (2c.2)			
		2.1.3.3 (2c.3)			
		2.1.3.3 (2d.3)			





Functional component	Use case (id and name)	Requirements	Software Components Involved	NB DSS Release	Comment
	003: Visualise timeseries	2.1.3(1) 2.1.3(2) 2.1.3(3) 2.1.3(4) 2.1.3(5) 2.1.3(6) 2.1.3.3 (1b) 2.1.3.3 (1c) 2.1.3.3 (1f) 2.1.3.3 (2b) 2.1.3.3 (2b.2) 2.1.3.3 (2c.1) 2.1.3.3 (2c.2) 2.1.3.3 (2d.1) 2.1.3.3 (2d.1) 2.1.3.3 (2d.2) 2.1.3.3 (2d.2) 2.1.3.3 (2d.3)		1	
Reporting	005: Publish in report			1-2	Will be included in the design in cycle 1 and some implementation may also start in Cycle 1. The reporting component will be relatively close to the database and is best implemented once metadata and hydro objects are implemented.
Model tools	082: Calibrate MIKE 11 013: Calibrate MIKE			1	
	BASIN 028: Calibrate model	2.1.6.2 2.1.6.2 (1) 2.1.6.2 (2) 2.1.6.2 (4)		1	
	032: Clone and modify MIKE BASIN model and scenario 085: Edit model	(,)		1	





Functional component	Use case (id and name)	Requirements	Software Components Involved	NB DSS Release	Comment
	034: Setup MIKE 11 model	2.1.5 (1)		1	
		2.1.5 (3.3)			
		2.1.5 (3.5)			
		2.1.5 (4)			
		2.1.5.1			
		2.1.5.2			
		2.1.5.2 (1)			
		2.1.5.2			
		2.1.5.2 (1)			
		2.1.5.2 (3)			
		2.1.5.2 (4)			
		2.1.5.2 (5)			
		2.1.5.2 (7)			
		2.1.5.3			
		2.1.5.4			
		2.1.5.5			
		2.1.5.8			
		2.1.5.9			
		2.1.5.13			
		2.1.5.14			
		2.1.5.15			
		2.1.5.16			
		2.1.5.17			
		2.1.5.18			
		2.1.7.1			
		2.1.7.2			
		2.1.7.3			
		2.1.7.5			





Functional component	Use case (id and name)	Requirements	Software Components Involved	NB DSS Release	Comment
	011: Setup MIKE BASIN model	2.1.5 2.1.5(1) 2.1.5(2) 2.1.5(3) 2.1.5(3.1) 2.5.5(3.2) 2.1.5(3.3) 2.1.5(3.4) 2.1.5(3.5) 2.1.5(3.6) 2.1.5(3.7) 2.1.5(3.8) 2.1.5(4) 2.1.5.1 2.1.5.2 2.1.5.2(1) 2.1.5.2(2) 2.1.5.2(3) 2.1.5.2(4) 2.1.5.2(5) 2.1.5.2(6) 2.1.5.2(7) 2.1.5.3 2.1.5.4 2.1.5.5 2.1.5.7 2.1.5.8 2.1.5.9 2.1.5.13 2.1.5.14 2.1.5.15 2.1.5.17 2.1.5.18 2.1.7.1 2.1.7.2 2.1.7.3 2.1.7.5 2.1.7.6 2.1.7.8 2.1.6.2(1) 2.1.6.2(2) 2.1.6.2(3) 2.1.6.2(4)		1-2	As per appendix H of contract Release 1 will be based on the current version of the MIKE BASIN software while a new (non ArcGIS base) user interface will be available with NB DSS release 2.





		I			
Functional	Use case (id and name)	Requirements	Software	NB DSS	Comment
component			Components	Release	
			Involved		
		2.1.5 (1);		1	
		2.1.5 (2);			
		2.1.5 (3.1)			
		2.1.5 (3.2)			
		2.1.5 (3.3)			
		2.1.5 (3.4)			
		2.1.5 (3.5)			
		2.1.5 (3.6)			
		2.1.5 (3.7)			
		2.1.5 (3.8)			
		2.1.5 (4)			
		2.1.5.1			
		2.1.5.2			
		2.1.5.2 (1)			
		2.1.5.2 (1)			
		2.1.5.2 (2)			
		2.1.5.2 (4)			
		2.1.5.2 (4)			
		2.1.5.2 (6)			
		2.1.5.2 (6)			
		2.1.5.3			
		2.1.5.4			
		2.1.5.5			
		2.1.5.7			
		2.1.5.8			
		2.1.5.9			
		2.1.5.13			
		2.1.5.14			
		2.1.5.15			
		2.1.5.17			
		2.1.5.18			
		2.1.7.1			
		2.1.7.2			
		2.1.7.3			
		2.1.7.5			
		2.1.7.6			
		2.1.6.2 (3)			
	025: Setup semi-	2.1.5.13		2	
	distributed rainfall-runoff	2.1.5.7			
	model (MIKE SHE Studio)	2.1.5.6			
	,	2.1.7.8			
	010: Use rainfall runoff			2	
	model				
i	1 3	1			I





Functional component	Use case (id and name)	Requirements	Software Components Involved	NB DSS Release	Comment
Meta-data	053: Assess data availability			(1-2)	The data model for the meta-data will be completed in R1 (detailed requirement analysis and design). The implementation of the data model in the database will be completed in R1 as well. Depending on the interactive functionality that is required some may be included in R1 and some in R2. Details will be agreed once the design is in place.
	007: Inspect GIS layers			(1-2)	As above.
	009: Inspect timeseries			(1-2)	As above.

## Notes.

1) The scenario manager will include functionality for easy comparison of model simulations (scenarios) or for comparison of simulation outputs with field data etc. In release 1 we anticipate that some of the simple comparisons (e.g. comparison of time-series outputs and simple performance statistics) will be built-in to the scenario manager. Other comparisons may be done outside the Scenario manager by employing the time-series tools and other relevant tools. The latter will be a manual process (i.e. select data, select tool), while the Scenario Manager will include built-in functionality for "ease of use/automation". Further release details will be agreed once the detailed design of the scenario manager component is completed.